

Product Application Engineering



**482X CAN PRODUCT RANGE
APPLICATIONS LIST**

**ANDROMEDA SOFTWARE
RELEASE : FIRMWARE 164**



Together we can
vodafone
business

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

Sommario - Summary - Résumé – Resumen

Marca - Make Faire - Hacer	Pagina - Page Page - Página
Alfa Romeo	5
Aston Martin	6
Audi	7 - 8 - 9
Audi_1	10
Bentley	11
BMW	12 - 13 - 14
Chrysler	15
Citroen – DS –DS_1	16 - 17
Dacia	18
Dodge - DR	19
Ferrari	20
Fiat	21-22-23
Fiat_1	24
Ford	25 - 26 - 27
Ford_1	28
Genesis	29
Honda	30
Hyundai	31-32
Iveco - Jaguar	33
Jeep	34



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

Sommario - Summary - Résumé – Resumen

Marca - Make Faire - Hacer	Pagina - Page Page - Página
Kia	35 - 36
Lancia - Land Rover	37 - 38 - 39
Lexus - Maserati	40
Mazda	41
McLaren	42
Mercedes	43 - 44 - 45 - 46
Mercedes_1	47 - 48
MG	49
Mini	50
Mitsubishi	51
Nissan	52
Opel	53
Peugeot - Peugeot_1	54 - 55 - 56
Porsche	57
Peugeot Citroen	58 - 59
Renault	60 - 61
Renault_1	62 - 63
Seat - Seat_1	64 - 65
Skoda - Skoda 1	66 - 67 - 68
Smart	69



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

Sommario - Summary - Résumé – Resumen

Marca - Make Faire - Hacer	Pagina - Page Page - Página
Subaru	70
Suzuki	71
Toyota	72 - 73 - 74
Volkswagen	75 - 76 - 77 - 78 - 79
Volkswagen_1	80
Volvo	81 - 82
Xev	83
Legenda	84 - 85
Funzionalità speciali -Special features Fonction spéciales - Funciones especiales	86 - 87 - 88 - 89 - 90 - 91 - 92



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001010108

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
159	2006 >	Logic	1	RC	CAN	AR15906C !	A-G
Brera	2006 >	Logic	2	RC	CAN	ARBR06C !	G
Giulia	2016>	Logic	4	RC-KL	CAN	ARGU16R2C !	F-S
Giulietta	2010 >	Logic	3	RC	CAN	ARGI10R2C !	F
Mito	2008 >	Logic	3	RC	CAN	ARMI08R1C !	F
Stelvio	2017 >	Logic	4	RC-KL	CAN	ARST17C !	A-F-T
Tonale	2022 I>	Logic	5	RC-KL	CAN	ARTO22CN	C-U



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001015100



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
DBX	2021 I>	Logic	2	RC-KL	CAN	-	-
Vantage Coupe	2020	Power	5	RC-KL	CAN	ASVAC20CN	A-G
DBX	2025I>	Logic	3	RC-KL	CAN	-	A-B-C-V

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
A1 (8X)	2010 >	Logic	1	RC	CAN	AUA110C!	A-B-C-D
A1 (8X)	2010 >	Logic	6	KL	CAN	AUA110C!	A-B-C-D
A3 (8P)	2003 >	Logic	1	RC	CAN	AUA303C!	A-B-D
A3 (8P)	2010 >	Logic	1	RC	CAN	AUA310C!	A-B-C-D
A3 (8P)	2010 >	Logic	6	KL	CAN	AUA310C!	A-B-C-D
A3 (8V)	2012 >	Logic	3	RC	CAN	AUA312R2C!	A-B-C-D
A3 (8V)	2012 >	Logic	4	KL	CAN	AUA312R2C!	A-B-C-D
A4 (8E)	2005 >	Logic	1	RC	CAN	AUA405C!	A!-B
A4 (8K)	2008 >	Logic	1	RC-KL	CAN	AUA408C!	B-D
A4 (F4)	2016 >	Power	7	RC-KL	CAN	AUA416C!	A-B-C
A4 (F4)	2016 >	Logic	11	RC-KL	CAN	AUA4L16C!	A-B-C
A5 (8T)	2007 >	Logic	1	RC-KL	CAN	AUA507C!	A-D
A5 (Convertible)	2009 >	Logic	1	RC-KL	CAN	AUA507C!	A-D
A5 (Sportback)	2009 >	Logic	1	RC-KL	CAN	AUA507C!	A-D
A5 (8T)	2015 >	Logic	6	KL	CAN	AUA507C!	A-D
A5 (8T)	2016 >	Logic	1	RC	CAN	AUA516C!	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
A5 (F5)	2017>	Logic	11	RC-KL	CAN	AUA517C!	A-B-C-F-S
A6 (4F)	2005 >	Logic	1	RC-KL	CAN	AUA605C!	////////
A6 (4G)	2012 >	Logic	5	RC-KL	CAN	AUA612C!	A-B-C
A6 (4G)	2013 >	Logic	5	RC-KL	CAN	AUA613R2C!	A-B-C-D
A7 (4G)	2010 >	Logic	5	RC-KL	CAN	AUA710C!	A-B-C-D
A7 (F2)	2018 >	Logic	11	RC-KL	CAN	AUA718CN	A-B-C-D
A8 (4E)	2008 >	Logic	1	RC-KL	CAN	AUA808C!	A-B-D
A8 (4H)	2010 >	Logic	5	RC-KL	CAN	AUA810C!	A-B-C-D
A8 (F8)	2018 >	Logic	11	RC-KL	CAN	AUA818CN	A-B-C-D-S-T
Q2 (GA)	2016	Logic	9	KL	CAN	AUQ216R2C!	A-B-C-F-S
Q2 (GA)	2016	Logic	3	RC	CAN	AUQ216R2C!	A-B-C-F-S
Q3 (8U)	2011 >	Logic	1	RC	CAN	AUQ311R1C!	A-B-C-D
Q3 (8U)	2011 >	Logic	6	KL	CAN	AUQ311R1C!	A-B-C-D
Q5 (8R)	2008 >	Logic	1	RC-KL	CAN	AUQ508C!	A-B-D
Q5 (8R)	2013 >	Logic	1	RC-KL	CAN	AUQ513C!	A-B-C-D
Q5 (FY)	2017>	Logic	11	RC-KL	CAN	AUQ517R1C!	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Q7 (4L)	2007 >	Logic	1	RC-KL	CAN	AUQ707C !	A-D
Q7 (4L)	2013 >	Logic	1	RC-KL	CAN	AUQ713R1C !	A-B-C-D
Q7 (4 M)	2015 >	Power	7	RC-KL	CAN	AUQ715R3C !	A-B-C
R8 (FX)	2016 >	Power	10	RC-KL	CAN	AUR8P16C !	A-B-C-D
R8 (FX)	2016 >	Logic	5	RC-KL	CAN	AUR8L16C !	A-B-C-D
TT (8J)	2007 >	Logic	1	RC-KL	CAN	AUTT07C !	A-B-D
TT (FV)	2015 >	Logic	4	KL	CAN	AUTT15C !	A-B-C-F
TT (FV)	2015 >	Logic	3	RC	CAN	AUTT15C !	A-B-C-F



482X CAN PRODUCT RANGE APPLICATIONS LIST
ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001021101



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
A3 PHEV (8YA)	2020 I>	Logic	2	RC-KL-APP	CAN	AUA3P-HEV20CN	B-C-Q-T-Z
Q8	2018	Logic	1	RC-KL	CAN	AUQ818CN	A-B-C-T-V
Q8 E-Tron (GE)	2022 I> - 2025 >	Logic	2	RC-KL-WA-APP	CAN	AUQ8E-T18CN	B-C-Q-T-V
SQ5 (FYB)	2018 I> - 2024 >I	Logic	2	RC-KL-WA	CAN	AUSQ518CT	B-C-Q-T-Z-W

482X CAN PRODUCT RANGE APPLICATIONS LIST
ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001032102



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Continental GT	2020	Logic	2	RC-KL	CAN	BECGT20CN	A-B-C

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001040136

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
1 (E81-82-87-88)	2004 >	Logic	1	RC	CAN	BMS104C !	A-B-C-D
1 (E81-82-87-88)	2010 >	Logic	1	RC-KL	CAN	BMS110C !	A-B-C-D
1 (F20)	2011 >	Logic	3	RC	CAN	BMS111C !	A-B-C
1 (F20)	2014 >	Logic	3	RC	CAN	BMS114C !	A-B-C
1 (F20)	2015 >	Logic	4	RC	CAN	BMS114C !	A-B-C
1 (F40)	2019 I>	Logic	10	RC-KL	CAN	BMS119CN	A-S
2 (F45) Active Tourer	2015 >	Logic	5	RC-KL	CAN	BM2AT15C !	A-C-D-Q
2 (F46) Gran Tourer	2015 >	Logic	5	RC-KL	CAN	BMS2GT15C !	A-C-D-Q
3 (E90-91-92-93)	2005 >	Logic	1	RC	CAN	BMS305C !	A-B-C-D
3 (E90-91-92-93)	2010 >	Logic	1	RC-KL	CAN	BMS310C !	A-B-C-D
3 (F30)	2012 >	Logic	6	RC	CAN	BMS312R1C !	C-D
3 (F30)	2014 >	Logic	5	RC	CAN	BMS314R2C !	A-C-D
3 (G20-G21)	2020 I>	Logic	6	RC-KL	CAN	BMS320CN	A-B-C-T-U
4 (F32-F36)	2014 >	Logic	6	RC	CAN	BMS4RC14R1C !	A-C-D
4 (F32-F36)	2014 >	Logic	6	KL	CAN	BMS4KL14R1C !	A-C-D
5 (E60-E61)	2003 >	Logic	1	RC	CAN	BMS503C !	A-B-C-D
5 (E60-E61)	2008 >	Logic	1	RC	CAN	BMS508C !	A-B-C-D
5 (F10-F11)	2010 >	Logic	3	RC	CAN	BMS5RC10R3C !	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001040136

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
5 (F10-F11)	2010 >	Logic	4	KL	CAN	BMS5KL10R2C !	A-B-C-D
5 (F10-F11)	2013 >	Logic	3	RC	CAN	BMS5RC13R2C !	B-F
5 (F10-F11)	2013 >	Logic	4	KL	CAN	BMS5KL13R2C !	B-F
5 (G30)	2017	Logic	6	RC-KL	CAN	BMS517C !	A-B-C-S
5 (G30) HY/PLUG-IN	2021 I>	Logic	11	RC-KL	CAN	BMS521CN	A-B-C-R-S-T
5 GT (F07)	2010 >	Logic	3	RC	CAN	BMS5GTRC10R3C !	A-B-C-D
5 GT (F07)	2010 >	Logic	4	KL	CAN	BMS5GTKL10R2C !	A-B-C-D
6 (E63-E64)	2007 >	Logic	1	RC	CAN	BMS607C !	A-B-C-D
6 (F12-F13)	2011 >	Logic	3	RC	CAN	BMS611C !	A-B-C-D
6 (F12-F13)	2014 >	Logic	3	RC	CAN	BMS614C !	A-B-C-D
7 (F01-F02)	2008 >	Logic	2	RC	CAN	BMS708C !	A-B-C-D
7 (G11)	2016 >	Logic	6	RC-KL	CAN	BMS716R1C !	A-B-C
i3	2020	Logic	8	RC-KL	CAN	BMi320CN	A-B-U-S
X1 (E84)	2009 >	Logic	1	RC-KL	CAN	BMX109C !	A-B-C-D
X1 (F48)	2016 >	Logic	5	RC-KL	CAN	BMX116C !	A-B-C-D
X1 (F48)	2019 I>	Logic	12	RC-KL	CAN	BMX119CN	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001040136

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-CLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
X3 (F25)	2010 I>	Logic	4	RC-KL	CAN	BMX310R1C !	A-B-D
X3 (G01)	2018 >	Logic	6	RC	CAN	BMX3RC18CN	A-B-D
X3(G45)	2024 I>	Logic	14	RC-KL	CAN	BMX324CN	A-B-D-T-J
X4 (F26)	2014 >	Logic	3	RC	CAN	BMX414C !	A-B-D-T
X4 (G02)	2021 I>	Logic	13	RC-KL	CAN	BMX421CN	A-B-D-T
X5 (E70)	2007 >	Logic	1	RC	CAN	BMX507C !	A-B-C-D
X5 (E70)	2012 >	Logic	5	RC-KL	CAN	BMX507C !	A-B-C-D
X5 (F15)	2014 >	Logic	5	RC-KL	CAN	BMX514R2C !	A-C-D-F
X5 (F15) with LED lights	2014 >	Logic	5	RC-KL	CAN	BMX514LLR2C !	A-C-D-F
X5 (G05)	2019 I>	Logic	9	RC-KL	CAN	BMX519CN	A-B-C-T-J
X6 (E71)	2008 >	Logic	1	RC	CAN	BMX608C !	A-B-C-D
X6 (E71)	2012 >	Logic	5	RC-KL	CAN	BMX608C !	A-B-C-D
X6 (F16)	2016 >	Logic	5	RC-KL	CAN	BMX616C !	A-B-C-D
Z4 (E89)	2009 >	Logic	1	RC	CAN	BMZ409C !	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST
ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001050100



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
300 C	2008 >	Level	1	RC	CAN	CH300C08C!	////////

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001230119



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Aircross	2012 >	Logic	5	RC	CAN	CIAI12C	B-F
Berlingo Van (Delphi BSI EI3 SW.V.4.05)	2019	Logic	13	RC	CAN	CIBEVRCCEL3SW4.0519CN	B-M
Berlingo Van (Delphi BSI EI3 SW.V.6.05)	2020	Logic	15	RC	CAN	CIBEVEL3SW6.0520CN	B
Berlingo (Delphi BSI EI3 SW.V.7.09)	2020	Logic	15	RC-KL	CAN	CIBEVEL3SW7.0920CN	B
Berlingo (Delphi BSI EI3 SW.V.7.11)	2022 I>	Logic	14	RC	CAN	CIBEVEL3SW7.1122CN	B-F
C3	2020 I>	Logic	14	RC - KL	CAN	CIC320CN	A - B
C3 Aircross (Delphi BSI EI3 SW.V.7.09)	2020	Logic	15	RC-KL	CAN	CIC3AI20CN	B
C4 Cactus (Delphi BSI EI5 SW.V.6.05)	2020	Logic	15	RC-KL	CAN	CIC4CA20CN	A-B-F-U
C-Crosser	2008 >	Logic	5	RC-KL	CAN	CICCR08C !	////////
C-Zero	2011 >	Logic	11	RC	CAN	CICZ11C !	B-F
Jumper	2008 >	Logic	4	RC	CAN	CIJUR08R1C !	B
Jumper	2011 >	Power	3	RC	CAN	CIJUR11C !	F
Nemo	2008 I>	Power	3	RC	CAN	CINE08C !	



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001231104



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
C3	2024 I>	Logic	4	RC	CAN	CIC324CN	B-U



CAN software version 4800NG-CAN-0001230119

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
DS3	2020	Logic	14	RC-KL	CAN	DSDS320CN	A-B-F
DS7 (Delphi BSI EIS SW.V.7.10)	2020	Logic	15	RC-KL	CAN	DSDS720CN	A-B-F-U-V



CAN software version 4800NG-CAN-0001231103

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
DS4	2021 >	Logic	3	RC-KL-WA	CAN	DS421CN	B-C-E



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001052106



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Dokker	2014 l>	Power	1	RC	CAN	DCDO14C!	B
Duster	2014 l>	Power	1	RC	CAN	DCDU14C!	B
Duster	2018 l>	Logic	2	RC	CAN	DCDU18CN	B
Duster	2022 l>	Logic	5	RC-KL	CAN	DCDU22CN	B-F-S
Duster	2024 l>	Logic	6	RC-KL-WA	CAN	DCDU24CN	B-D-U
Jogger	2022 l>	Logic	3	RC-KL	CAN	DCJO22CN	F
Lodgy	2014 l>	Power	1	RC	CAN	DCLD14C!	B
Sandero	2014 l>	Power	1	RC	CAN	DCSA14C!	B
Sandero Stepway	2014 l>	Power	1	RC	CAN	DCSS14C!	B
Sandero Stepway	2021 l>	Logic	3	RC-KL	CAN	DCSA21CN	A-B-F-U
Spring	2021 l>	Logic	4	RC-KL	CAN	DCSP21CN	B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001055100



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Ram 1500	2022	Level	1	RC	CAN	DORAM22CN	-



CAN software version 4800NG-CAN-0001056100

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
1.0	2023 l>	Logic	1	RC	CAN	DR1.023CN	A-B-C-G-S-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001058114



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
F458 spider (F142)	2015	Logic	1	RC	CAN	FE458RC15C	B-F-P
F8 Tributo	2019 I>	Logic	6	RC	CAN	FEF8RC19CN	W
La Ferrari	2013 I>	Power	1	RC	CAN	FELAF13C	A-B-Q-T
Monza SP1	2018 I>	Logic	2	RC	CAN	FEMOSP118CN	A-Q-T
Purosangue	2023 I>	Logic	8	RC-KL	CAN	FEPU23R1CN	C-T
SF90	2019 I>	Logic	7	RC-KL	CAN	FESF9019CN	B
Roma Coupe	2020 I>	Power	3	RC-KL	CAN	-	A-B-F
296 GTB	2021 I>	Logic	7	RC-KL	CAN	FE296GTB21CN	B
12 Cilindri	2025 I>	Logic	9	RC-KL-WA	CAN	FE12CI25CN	B

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001060124



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
124 Spider	2016 >	Power	14	KL	CAN	FI124KL16C !	A-B-F
500	2007 >	Power	9	RC	CAN	FI50007R2C !	F
500	2009 >	Power	9	RC	CAN	FI50009R1C !	A
500 L	2012 >	Power	9	RC	CAN	FI500L12R1C !	A
500 L	2015 >	Logic	12	RC	CAN	FI500L15C !	A
500 L	2017 >	Logic	12	RC	CAN	FI500L17C !	A
500 X	2015 >	Logic	11	RC-KL	CAN	FI500X15C !	C-E-G
500 X	2018 >	Logic	11	RC-KL	CAN	FI500X18CN	C-E-G
500 X (TX 4 Button)	2022 I>	Logic	11	RC-KL	CAN	FI500X22CN	C-E-G
Bravo	2007 >	Power	7	RC	CAN	FIBR07C !	A
Croma	2005 >	Logic	1	RC	CAN	FICR05C !	F-A
Doblo'	2010 >	Power	9	RC	CAN	FIDO10C !	C
Doblo'	2018>	Power	9	RC	CAN	FIDO18CN	A-F
Ducato	2007 >	Logic	4	RC	CAN	FIDU07R1C !	B
Ducato	2011 >	Power	9	RC	CAN	FIDU11R1C !	F
Fiorino	2008 >	Power	9	RC	CAN	FIFI08C !	F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001060124



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Freemont	2011 >	Level	10	RC-KL	CAN	FIFR11C !	B-F
Grande Punto	2008 >	Power	9	RC	CAN	FIGP08C !	F
Idea	2004 >	Logic	2	RC	CAN	FIID05C !	A
Panda	2005 >	Logic	4	RC	CAN	FIPA05C !	F
Panda	2012 >	Power	9	RC	CAN	FIPA12C !	F
Punto	2012 >	Power	9	RC	CAN	FIPU12C !	F
Punto Evo	2009 >	Power	9	RC	CAN	FIPE09C !	F
Qubo	2008 >	Power	9	RC	CAN	FIQU08C !	F
Scudo Van (Use Expert Van sw index 2)	2009 >	Logic	2	RC	CAN	FISCV09R1C !	B
Scudo Van (Use Expert Van PSA index 1)	2014 >	Logic	1	RC	CAN	FISC14C !	A
Sedici	2006 >	Power	6	KL	CAN	FISEG06C !	////////
Stilo	2003 >	Logic	2	RC	CAN	FIST03C !	A
Stilo	2006 >	Logic	5	RC	CAN	FIST05C !	////////



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001060124



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Tipo HB	2016 >	Logic	11	RC	CAN	FITIHB16C !	A-S
Tipo HB	2018 >	Logic	15	RC	CAN	FITIHB18CN	A-F
Tipo HB	2020 l>	Logic	11	RC - KL	CAN	FITIHB20CN	F-T-U
Tipo Sedan	2015 >	Logic	13	RC	CAN	FITI15R5C !	B-C-S
Tipo SW	2016 >	Logic	11	RC	CAN	FITISW16R1C !	A-S
Ulysse (Use 807 sw index 1)	2008 >	Logic	1	RC	CAN	FIUL08C !	B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001061106



1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Fullback	2018	Power	1	RC	CAN	FIFU18C !	A-B-E
E-Ducato	2021	Power	4	RC	CAN	FIE-DU21CN	A-F-T-U
Ducato	2022I>	Power	3	RC	CAN	FIDU22CN	A
Ducato	2022 I>	Logic	6	RC	CAN	FIDUC22CN	A
Pandina	2025	Logic	5	RC	CAN	FIPA25CN	B-C-T
500e	2020 I>	Logic	5	RC-KL	CAN	Fle50020CN	C-T-U
500 X	2022 I>	Logic	8	RC-KL	CAN	FI500X22CN	C-E-G
Scudo	2022 I>	Logic	7	RC	CAN	FISCUEL3SW7.1122CN	B-F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001070138



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
B-Max	2012 >	Power	4	RC	CAN	FOBMX12CR1 !	B
C-Max	2011 >	Logic	7	RC-KL	CAN	FOCMX11R1C !	B-C-D
Fiesta	2006 >	Power	2	RC	CAN	FOFI06C !	////////
Fiesta	2008 >	Logic	5	RC	CAN	FOFI08R1C !	B
Fiesta	2013 >	Power	2	RC	CAN	FOFI13R2C !	F
Fiesta	2016 >	Logic	5	RC-KL	CAN	FOFI16C !	F - A
Fiesta	2017>	Logic	11	RC	CAN	FOFI17R1C !	A-B-C
Focus	2011 >	Logic	7	RC-KL	CAN	FOFO11C !	B-C-D
Fusion	2006 >	Power	2	RC	CAN	FOFU06C !	////////
Galaxy	2007 >	Logic	3	RC-KL	CAN	FOGA07C !	////////
Galaxy	2010 >	Logic	3	RC	CAN	FOGA10C !	B-C-D
Galaxy	2015 >	Logic	11	RC-KL	CAN	FOGA15R2C !	A-C-F-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001070138



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Ka	2009 >	Power	6	RC	CAN	FOKA09C!	A
Ka+	2016 >	Power	13	RC	CAN	FOKA+16C!	A-B-F
Kuga	2008 >	Power	4	RC-KL	CAN	FOKU08C!	////////
Kuga	2013 >	Logic	7	RC	CAN	FOKU13C!	B-C-D
Kuga	2017	Logic	7	RC-KL	CAN	FOKU17R1C!	A-B-C-F-S
Mondeo	2007 >	Logic	3	RC-KL	CAN	FOMO07C!	////////
Mondeo	2011 >	Logic	3	RC-KL	CAN	FOMO11R1C!	B-C-D
Mondeo	2015 >	Logic	11	RC-KL	CAN	FOMO15R1C!	A-B-C
Mondeo	2016 >	Logic	11	RC-KL	CAN	FOMO16C!	A-B-C
Ranger	2012 >	Logic	9	RC	CAN	FORA12C!	A
Ranger	2014 >	Logic	12	RC	CAN	FORA14C!	A
Ranger	2016 >	Logic	11	RC	CAN	FORA16C!	A-B-S
S-Max	2006 >	Logic	3	RC-KL	CAN	FOSMX06C!	////////
S-Max	2010 >	Logic	3	RC-KL	CAN	FOSMX11R1C!	B-C-D
S-Max	2015 >	Logic	11	RC-KL	CAN	FOSMX15R1C!	A-C-F-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001070138



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Tourneo Courier	2018 >	Logic	5	RC	CAN	FOTOCO18CN	A-B-C
Transit Connect	2016 >	Logic	7	RC	CAN	FOCV16C!	B-C
Transit Full Size	2018 >	Power	15	RC	CAN	FOFS18CN	A-F
Transit Courier	2018 >	Logic	5	RC	CAN	FOTCO18CN	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001071110



1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Eco sport	2019	Logic	1	RC-KL	CAN	FOES19CN	B-C
Edge	2016	Logic	3	RC-KL	CAN	FOED16C !	A-B-C-F
Edge	2020	Logic	3	RC-KL	CAN	FOED16C !	A-B-C-F
Explorer Hybrid	2020 l>	Logic	1	RC-KL	CAN	FOEXPHY20CN	A-B-C-N-F-S-T
Fiesta	2017	Logic	1	RC	CAN	FOFI17C !	A-B-C-T
Fiesta	2022 l>	Logic	1	RC	CAN	FOFI22CN	A-B-C-T
Focus	2018	Logic	1	RC-KL	CAN	FOFOKL19CN	B-C-S-V
Kuga	2020 l>	Logic	1	RC-KL	CAN	FOKU20R1CN	B-T-U
Mondeo	2021	Logic	3	RC-KL	CAN	FOMO21CN	A-B-C
Puma	2020 l>	Logic	1	RC-KL	CAN	FOPU20CN	B-C
Ranger PHEV	2026 l>	Logic	8	RC-KL	CAN	FORA26CN	B-C-T
Tourneo Courier	2022 l>	Power	6	RC	CAN	FOTOC022CN	A-B-C
Transit Connect Van	2020	Logic	5	RC	CAN	FOCV20CN	B-C
Transit Custom	2016	Logic	4	RC	CAN	FOTCURC16R1C !	A-B-F
Transit Custom	2020	Logic	4	RC	CAN	FOTCURC20CN	A-B-F
Transit Custom	2024 l>	Logic	7	RC-KL	CAN	FOTR24CN	B-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001075106

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
G70	2021 I>	Logic	2	RC-KL	CAN	GEG7021CN	A-B-C-T-U
G80	2020	Logic	1	RC-KL	CAN	GEG8021CN	A-B-C-T-V
GV80	2021	Logic	1	RC-KL	CAN	GEGV8021CN	A-B-C-T-V
G80E	2025 I>	Logic	4	RC-KL	CAN	GEG80E25CN	A-B-C-T-V

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software 2 wires version 4800NG-CAN-0001080109



HONDA

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Accord	2008 >	Power	1	RC	CAN	HOAC08C!	////////
Civic	2013 >	Power	2	RC	CAN	HOC13C!	B
Civic	2013 >	Power	3	KL	CAN	HOC13C!	B
Civic	2017	Logic	5	KL	CAN	HOCIKL17C!	B-C-F-S
CR-V	2013 >	Power	2	RC	CAN	HOCRV13C!	B-C
CR-V	2013 >	Power	3	KL	CAN	HOCRVKL13C!	B-C
CR-V	2019	Logic	4	KL	CAN	HOCRV19CN	B-S-T
HR-V	2022	Logic	4	RC-KL	CAN	HOHRV22CN	B-C-S-T
HR-V	2022	Logic	4	RC-KL-APP	CAN	HOHRV22CN	B-C-S-T
Jazz Hybrid	2020	Logic	4	RC-KL	CAN	HOJA20CN	A-B-F-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001090118



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Bajon	2021I>	Logic	10	RC	CAN	HYBAJ21CN	B-C-G-P-T
Genesis	2015 >	Logic	4	KL	CAN	HYGE15C!	A-B-C
Ionic	2018	Logic	8	KL	CAN	HYIO18CN	B-C-T
i10	2019 >	Logic	9	RC	CAN	HYi1019CN	B-C
i10	2020 >	Logic	10	RC	CAN	HYi1020CN	B-C
i10	2023 I>	Logic	10	RC	CAN	HYi1023CN	B-C-G-P-T
i20	2015 >	Logic	4	RC-KL	CAN	HYi2015C!	A-B-C-F
i20	2019 >	Logic	9	RC	CAN	HYi2019CN	B-C
i20	2021 I>	Logic	10	RC	CAN	HYi2021CN	B-C-G-P-T
i30N	2017>	Logic	4	RC-KL	CAN	HYi30N17C!	B-C
i40	2011 >	Logic	1	RC-KL	CAN	HYi4011C!	B-C
iX35	2011 >	Logic	1	RC-KL	CAN	HYiX3511C!	B-C
Kona	2017 >	Logic	8	RC-KL	CAN	HYKO17R2C!	B-C-T
Kona	2020	Logic	10	RC-KL	CAN	HYKO20CN	A-B-C-T
Santa Fe	2013 >	Logic	3	RC-KL	CAN	HYSFRC13C!	B-C
Tucson	2015 >	Logic	5	RC-KL	CAN	HYTU15C!	B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001090118



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Tucson	2021 I>	Logic	12	RC-KL	CAN	HYTU21CN	A-B-C-T-U



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001101100



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Daily 35	2022 I>	Logic	1	RC	CAN	IVDA22CN	F
Daily	2025 I>	Logic	2	RC	CAN	IVDA25CN	F

CAN software version 4800NG-CAN-0001102103



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
E-Pace	2022 I>	Logic	4	RC-KL	CAN	JAEP22CN	B-S-T
F-Pace	2016 >	Logic	1	RC-KL	CAN	JAFP16C !	B-C-S
F-Pace	2019 >	Logic	2	RC-KL	CAN	JAFP16C !	B-C-S
F-Pace	2022 I>	Logic	4	RC-KL	CAN	JAFP22CN	B-S-T
I-Pace	2018	Logic	3	KL	CAN	JAIP18CN	A-B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001110117

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Cherokee	2012 >	Level	3	RC	CAN	JECH12C!	F
Cherokee	2014 >	Power	5	RC	CAN	JECH14R1C!	A
Cherokee	2015 >	Power	7	RC	CAN	JECH15C!	A
Cherokee	2017 >	Power	7	KL	CAN	JECHKL17C!	A-B-C
Cherokee	2019	Power	7	RC-KL	CAN	JECH19CN	A-F-S
Compass	2008 >	Power	1	RC	CAN	JECO08C!	A
Compass	2017	Level	8	RC-KL	CAN	JECO17C!	A-B-C-S
Compass	2018 >	Level	8	RC-KL	CAN	JECO18CN	A-B-C-S-V
Grand Cherokee	2012 >	Level	3	RC	CAN	JEGCH12C!	A-F
Grand Cherokee	2014 >	Level	4	RC	CAN	JEGC14C!	A-G
Grand Cherokee	2017 >	Logic	4	RC - KL	CAN	JEGC17C!	A - B
Patriot	2010 >	Power	1	RC	CAN	JEPA07C!	////////
Renegade	2014 >	Logic	6	RC-KL	CAN	JERE15C!	C-E-G
Renegade	2017 >	Logic	6	RC-KL	CAN	JERE17C!	C-E-G
Renegade	2019 >	Level	8	RC-KL	CAN	JERE19CN	C-E-G
Renegade	2022 l>	Level	8	RC-KL	CAN	JERE22CN	C-E-G
Wrangler	2010 >	Level	2	RC	CAN	JEWR10C!	////////
Wrangler	2020	Level	10	RC-KL	CAN	JEWR20CN	A-B-F-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001120123



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Carens	2013 I>	Logic	10	RC	CAN	KICA13C !	B-F
Carnival	2007 I>	Level	1	RC	CAN	KICA07C !	////////
Cee'd	2012 I>	Level	7	RC	CAN	KICE12C !	B-F
Ceed	2020 I>	Logic	12	RC-KL	CAN	KICE20CN	A-B-C
Ceed	2021 I>	Logic	15	RC-KL	CAN	KICE21CN	A-B-C
EV 6	2021 I>	Logic	14	RC-KL	CAN	KIEV621CN	B-C
Niro	2016 I>	Logic	11	RC-KL	CAN	KINI16C !	A-B
Niro	2022 I>	Logic	14	RC-KL	CAN	KINI22CN	A-B
Picanto	2020 I>	Logic	13	RC-KL	CAN	KIPI20CN	A-B-C
Procee'd	2013 I>	Logic	9	RC-KL	CAN	Not available	////////
Proceed	2021 I>	Logic	15	RC-KL	CAN	KIPR21CN	A-B-C-S
Rio	2012 I>	Level	7	RC	CAN	KIRI12C !	A-D
Rio	2020 I>	Logic	13	RC-KL	CAN	KIRIO20CN	A-D
Sorento	2013 >	Logic	8	RC	CAN	KISO13C !	F
Sorento	2015 I>	Logic	11	KL	CAN	KISOKL15R2C !	A-B-C
Sorento	2021	Logic	14	RC-KL	CAN	KISO21CN	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001120123



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Sorento Active +	2010 >	Level	2	KL	CAN	KISOAP10R1C !	A-B-D
Sorento Active +	2011 >	Logic	5	KL	CAN	KISOAP10R1C !	A-B-D
Soul	2016 >	Logic	11	RC-KL	CAN	KISOU16C !	A-B-C-F-S
Sportage	2010 >	Level	4	RC-KL	CAN	KISP10R2C !	A-B-D
Sportage	2011 >	Logic	7	RC-KL	CAN	KISP10R2C !	A-B-D
Sportage	2016 >	Logic	11	RC-KL	CAN	KISP16R2C !	B-C
Sportage	2021 I >	Logic	14	RC-KL	CAN	KISP21CN	B-T
Stinger	2018 >	Logic	12	RC-KL	CAN	KIST18CN	A-B-S-T
Stonic	2017 >	Logic	13	RC-KL	CAN	KIST017R1C !	A-B-C-T
X-ceed	2019 I >	Logic	12	KL	CAN	KIXCE19CN	A-B-S-T
X-ceed	2021 I >	Logic	15	RC-KL	CAN	KIXCE21CN	A-B-S-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001130107



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Delta	2008 >	Power	2	RC	CAN	LADE08C!	A
Musa	2005 >	Logic	1	RC	CAN	LAMU05C!	////////
Musa	2007 >	Power	2	RC	CAN	LAMU07C!	A
Phedra (Use 807 sw)	2008 >	Logic	1	RC	CAN	LAPH08C!	B
Voyager	2011 >	Level	4	RC	CAN	LAVO11C!	A-C-F
Ypsilon	2007 >	Power	2	RC	CAN	LAYP07C!	A
Ypsilon	2011 >	Power	3	RC	CAN	LAYP11C!	F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001140123



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Discovery 4	2011 >	Logic	3	RC-KL	CAN	LRDI11C!	A-F
Discovery	2018 >	Logic	9	KL	CAN	LRDI18CN	A-B-T
Discovery Sport	2020 >	Logic	9	RC	CAN	LRDIS20CN	A-B-C
Defender (90)	2020	Logic	10	RC-KL	CAN	LRDE19CN	B-S
Defender (110)	2020	Logic	10	RC-KL	CAN	LRDE19CN	B-S
Defender (130)	2019 I>	Logic	13	RC-KL	CAN	LRDE19CN	B-S
Evoque	2011 >	Logic	3	RC-KL	CAN	LRRRE11R1C!	A-D-F
Evoque	2014 >	Logic	4	RC	CAN	LRRRE14C!	F
Evoque	2019 >I	Logic	9	RC	CAN	LRRRE19CN	A-B-C
Evoque	2019 I>	Logic	12	RC	CAN	LRRRE19CN	A-B-C
Evoque	2020 I>	Logic	10	RC-KL	CAN	LRRRE19CN	A-B-C
Evoque Hybrid	2023 I>	Logic	14	RC-KL	CAN	LRRRE19CN	A-B-C
Freelander 2	2007 >	Logic	2	RC	CAN	LRFR207CN	////////
Range Rover Sport	2006 >	Logic	1	RC	CAN	LRRRS06C!	////////
Range Rover Sport	2011 >	Logic	3	RC-KL	CAN	LRRRS11C!	A-D-F
Range Rover Sport	2014 >	Logic	4	RC-KL	CAN	LRRRS14C!	C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001140123



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Range Rover Velar	2018 >	Logic	7	KL	CAN	LRRRVE18CN	A-B-T
Range Rover Vogue	2018 >	Logic	9	KL	CAN	LRRRVO18CN	A-B-T
Range Rover Vogue	2022 I>	Logic	11	KL	CAN	LRRRVO22CN	A-B-T
Range Rover Sport	2018 >	Logic	9	KL	CAN	LRRRS18CN	A-B-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001150112



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
ES300H	2021	Logic	2	RC-KL	CAN	LEES300H21CN	A-B-C-S-U
IS200	2017 >	Logic	2	RC-KL	CAN	LEIS20017C!	A-B-C-T
IS300	2017 >	Logic	2	RC-KL	CAN	LEIS30017C!	A-B-C-T
LC500	2017 >	Logic	2	RC-KL	CAN	LELC50017C!	A-B-C-T
LX 570	2009 >	Level	1	RC-KL	CAN	Not available	////////
NX 350H	2021 l>	Logic	3	RC-KL	CAN	LENX35021CN	B-F-T-U-V-Z
NX 350	2024 l>	Logic	4	RC-KL	CAN	LENX35024CN	B-Z
NX 450	2021 l>	Logic	3	RC-KL	CAN	LENX45021CN	B-F-T-U-V-Z
NX 450H PHEV	2024 l>	Logic	4	RC-KL	CAN	LENX450H-PHEV24CN	B-Z
UX250H	2019	Logic	2	RC-KL	CAN	LEUX250H19CN	A-B-S-U



CAN software 4800NG-CAN-0001158107

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Levante	2016 l>	Logic	2	RC-KL	CAN	MALE16C!	A-C-S-V
Quattroporte	2016 l>	Logic	2	RC-KL	CAN	MAQU16C!	A-C-S-V
Ghibli	2016 l>	Logic	2	RC-KL	CAN	MAGHI16C!	A-C-S-V
Grecale	2022 l>	Logic	4	RC-KL	CAN	MAGR22R1CN	B-C-J-S-V



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001160116



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
2	2008 >	Power	2	RC	CAN	MA208R1C	////////
2	2011 >	Power	2	RC	CAN	MA211R1C	E
2	2015 >	Power	7	RC	CAN	MA215C!	B
2	2015 >	Power	8	KL	CAN	MA215C!	B
3	2015 >	Power	6	RC-KL	CAN	MA315C!	A-B-C
3	2019	Power	10	KL	CAN	MA3KL18CN	A-B-C-S
6	2008 >	Power	1	RC	CAN	MA608C	////////
6 (with original alarm)	2014 >	Power	6	KL	CAN	MA6KL14R1C!	A-B-F
6	2015 >	Power	7	RC-KL	CAN	MA613C!	A-B-M
6	2013 >	Power	4	RC	CAN	MA613C	B
CX-3	2015 >	Level	9	RC-KL	CAN	MACX315C!	S
CX-5	2012 >	Power	4	RC	CAN	MACX512C	////////
CX-5 (USA)	2025 I>	Logic	12	RC-KL-WA	CAN	MACX525CN	B-C-T
CX-5 (EU)	2025 I>	Logic	13	RC-KL-WA	CAN	MACX525CN	B-C-T
CX-5	2026 I>	Logic	14	RC-KL-WA-(OA)	CAN	MACX526CN	B-C-T
CX-5	2026 I>	Logic	15	RC-KL-WA	CAN	MACX526CN	B-C-T
CX-30	2019	Power	10	KL	CAN	MACX30KL19CN	A-B-C-S



482X CAN PRODUCT RANGE APPLICATIONS LIST ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001166101

[illegible]

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001170132



Mercedes-Benz

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
A (169)	2005 >	Logic	2	RC	CAN	MEA05C	A-B-D
A (176)	2013 >	Power	3	RC	CAN	MEA13R1C !	B-D
A (W177)	2018 >	Logic	9	RC	CAN	MEA18CN	A-B
A (W177)	2020 I>	Logic	9	RC	CAN	MEC20CN	A-B-C-T
B (245)	2005 >	Logic	2	RC	CAN	MEB05C	A-B-D
B (246)	2015 >	Power	3	RC	CAN	MEB15R1C !	B-D
B (W247)	2019 >	Logic	9	RC	CAN	MEB19CN	A - B - T
C (203)	2005 >	Power	1	RC	CAN	MEC05C	A-B-C-D
C (204)	2007 >	Power	3	RC	CAN	MEC07C !	B-C-D
C (W205)	2014 >	Logic	5	RC-KL	CAN	MEC14R3C !	A-B-T
C (W205)	2018 >	Logic	5	RC	CAN	MEC18CN	A-B-T
CL (215)	2005 >	Power	1	RC	CAN	MECL05C	A-B-C-D
CL (216)	2006 >	Power	3	RC-KL	CAN	MECL06CR1 !	B-D
CLA (117)	2013 >	Power	3	RC	CAN	MECLA13R1C !	B-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001170132



Mercedes-Benz

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
CLA (W117)	2018 >	Power	3	RC	CAN	MECLASB18CN	B-D
CLA (W118)	2020	Logic	9	RC	CAN	MECLA20CN	A-B-C-T
CLK (209)	2005 >	Power	1	RC	CAN	MECLK05C	A-B-C-D
CLS (218)	2011 >	Power	1	RC	CAN	MECLS11C	A-B-C
CLS (218)	2013 >	Power	3	RC	CAN	MECLS13C!	B-C
CLS (219)	2007 >	Power	1	RC	CAN	MECLS07C	A-B-C-D
CLS (W257)	2018 >	Logic	5	RC	CAN	MECLS18CN	A-B-C
E Coupè (207)	2009 >	Power	3	RC	CAN	MEE09R1C!	B-C-D
E - E Sw (212)	2009 >	Power	3	RC	CAN	MEE09R1C!	B-C-D
E (211)	2005 >	Power	1	RC	CAN	MEE05C	A-B-C-D
E (213)	2016 >	Logic	5	RC-KL	CAN	MEE16C!	B-C-S
E (W213)	2018 >	Logic	5	RC	CAN	MEE18CN	A-B-T
G (463)	2008 >	Power	1	RC-KL	CAN	MEG08C	B-C-D
G (463)	2013 >	Power	3	RC	CAN	MEG13C!	B-C-D
GLA (W156)	2018 >	Power	3	RC	CAN	MEGLA18CN	B-D
GL (164)	2006 >	Power	1	RC-KL	CAN	MEGLO6R1C!	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001170132



Mercedes-Benz

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
GLB (X247)	2020	LOGIC	5	RC-KL	CAN	MEGLB20CN	A-B-C
GLC (253)	2015 >	Logic	5	RC	CAN	MEGLC15C !	A-B
GLC (W253)	2018 >	Logic	12	RC	CAN	MEGLC18CN	A-B-T
GLC (W253)	2020	Logic	5	RC-KL	CAN	MEGLC20CN	A-B-T
GLE (W166)	2015 >	Power	3	RC	CAN	MEGLE15C !	A-B
GLE (W166)	2018 >I	Power	3	RC	CAN	MEGLERC18CN	B-C-D
GLE (W167)	2018 I>	Logic	5	RC-KL	CAN	MEGLE18CN	A-B-C-T
GLK (204)	2009 >	Power	3	RC	CAN	MEGLK09C !	B-C-D
GLK (204)	2012 >	Power	3	RC	CAN	MEGLK12C !	B-C-D
Maybach (240)	2009 >	Power	1	RC-KL	CAN	MEMA09C !	A-B-C-D
ML (164)	2006 >	Power	1	RC-KL	CAN	MEML06CR1 !	A-B-C-D
ML (166)	2011 >	Power	3	RC	CAN	MEML11C !	B-C-D
R (251)	2006 >	Power	1	RC-KL	CAN	MER06R1C !	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001170132



Mercedes-Benz

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
S (W220)	2005 >	Power	1	RC	CAN	MES05C	A-B-F
S (W221)	2008 >	Power	3	RC-KL	CAN	MES08C !	B-C-D
S (W222)	2014 >	Logic	5	RC	CAN	MES14R1C !	A-B-C
S (W222)	2018 >	Logic	13	RC	CAN	MES18CN	A-B-C
SL (230)	2008 >	Power	1	RC	CAN	MESL08C !	A-B-C-D
SLK (171)	2006 >	Power	1	RC	CAN	MESLK06C !	A-B-C-D
SLK (172)	2012 >	Power	3	RC	CAN	MESLK12C !	B-D-F
SLR (199)	2009 >	Power	1	RC	CAN	MESLR09C !	A-B-D
SLS (197)	2010 >	Power	3	RC	CAN	MESLS10C !	B-D
Sprinter (906)	2011 >	Power	4	RC	CAN	MESP11R1C !	A-B-F
Sprinter (906)	2015 >	Power	4	RC	CAN	MESP15C !	A-B-F-R
Sprinter (907)	2018 >	Logic	10	RC	CAN	MESP18CN	A-B-F-R
Vito (W447)	2014 >	Power	8	RC	CAN	MEV114R1C !	A-B-D-F
V class (W447)	2015 >	Power	8	RC	CAN	MEV14C !	A-B-D-F
V class (W447)	2018 >	Power	8	RC	CAN	MEV14C !	A-B-D-F
X (470)	2018 >	Power	11	RC	CAN	MEX18CN	B-E



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001171118



1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
C (W206)	2021 I>	Logic	2	RC-KL	CAN	MEC21CN	A-B-C-F-N
Citan	2021 I>	Logic	11	RC-KL	CAN	MECITA21CN	B-T
E Coupè (C238)	2023 I>	Logic	8	RC-KL	CAN	MEE18CN	A-C-F-T-U-V
EQA	2021 I>	Logic	4	RC	CAN	MEEQA21CN	B-T
EQC	2021 I>	Logic	5	RC	CAN	MEEQC21CN	B-T
GLC (X254)	2022 I>	Logic	6	RC-KL	CAN	MEGLC22CN	A-B-T
GLE (W167)	2020 I>	Logic	7	RC-KL	CAN	MEGLE20CN	C-V-Z
GLE Coupè (W167)	2020 I>	Logic	7	RC-KL	CAN	MEGLE20CN	C-V-Z
GLS (X167)	2020 I>	Logic	7	RC-KL	CAN	MEGLS20CN	C-V-Z
G63 AMG (W463A)	2018 I>	Logic	1	RC-KL	CAN	MEG63AMG18CN	A-B
G63 AMG (W463A)	2021 I>	Logic	1	RC-KL	CAN	MEG63AMG21CN	A-B
G63 (W463A) AMG (ODS)	2018 I>	Logic	9	RC-KL	CAN	MEG63AMG18CN	A-B
S (W223)	2021 I>	Logic	2	RC-KL	CAN	MES21CN	A-B-C-F-N-R-S-T
SL43 AMG	2024 I>	Logic	12	RC-KL	CAN	MESL63AMG22CN	C-S-T-V
SL63 AMG	2022 I>	Logic	12	RC-KL	CAN	MESL63AMG22CN	C-S-T-V



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001171118



Mercedes-Benz

1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
SPRINTER (W447)	2024 I>	Logic	10	RC-KL	CAN	MESPRI24CN	A-B-F-R
V (W447)	2021 I>	Logic	3	RC	CAN	MEV14C !	A-B-D-F
V (W447)	2024 I>	Logic	10	RC-KL	CAN	MEV24CN	A-B-F-R
V (W447)	2024 I>	Logic	13	RC-APP	CAN	MEV24CN	A-B-F-R



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001175101

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
EHS PHEV	2018 I>	Logic	1	RC-KL	CAN	MGEHS18CN	B-T
EHS PHEV	2018 I>	Power	2	RC-KL	CAN	MGEHS18V1CN	B-T
ZS	2022 I>	Logic	1	RC-KL	CAN	MGZS22CN	B-T
ZS	2022 I>	Power	2	RC-KL	CAN	MGZS22V1CN	B-T
4	2022I>	Logic	3	RC-KL	CAN	MG422CN	A-B-C-G-S-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001180106



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Clubman	2007 >	Logic	2	RC	CAN	MNCL07C !	B-C-D
Convertible	2009 >	Logic	1	RC	CAN	MNC09C !	B-C-D
Cooper	2007 >	Logic	1	RC	CAN	MNCO07C !	B-C-D
Cooper	2015 >	Logic	3	RC	CAN	MNCO15C !	A-C-D-Q
Countryman	2011 >	Logic	2	RC	CAN	MNCM11C !	C-D
Coupé	2012 >	Logic	1	RC	CAN	MNC012C !	C-D
One	2007 >	Logic	1	RC	CAN	MNONE07C !	B-C-D
Paceman	2013 >	Logic	1	RC	CAN	MNPA13C !	B-C-D
Roadster	2012 >	Logic	1	RC	CAN	MNRO12C !	C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001190116



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
ASX	2010 >	Logic	1	RC-KL	CAN	MIASX10R2C	B-F
Lancer	2008 >	Logic	1	RC-KL	CAN	MILA08C	////////
L 200	2015 >	Power	4	RC-KL	CAN	MIL20015C	A-B
L 200	2018 >	Power	6	RC	CAN	MIL20018CN	A-B-E
Outlander	2007 >	Logic	1	RC-KL	CAN	MIOU07C	////////
Outlander	2013 >	Power	3	RC-KL	CAN	MIOU13C!	B
Outlander PHEV	2013 >	Power	3	RC-KL	CAN	MIOU13C!	B
Spacestar	2014 >	Power	4	KL	CAN	MISP14C!	B-E-S
Spacestar	2016 >	Power	4	RC	CAN	MISP16C!	A-B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001210130

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Juke	2020 I>	Logic	8	RC-KL	CAN	NIJU20CN	B-S
Leaf	2020 I>	Logic	10	RC-KL	CAN	NILE20CN	B-S
Micra (K14)	2017	Level	7	RC - KL	CAN	NIMI17C !	B-E
NV 200	2010 >	Logic - 0	1	RC	CAN	NINV20010CN	B-E
Primastar	2015 >	Power	4	RC	CAN	NIPR15C !	B-F-T
Pulsar	2014 >	Level	3	RC-KL	CAN	NIPU14C !	B-S
Qashqai	2008 >	Power	2	RC-KL	CAN	NIQA08R1C !	B-E
Qashqai	2012 >	Power	2	KL	CAN	NIQAKL12C !	B-E
Qashqai	2014 >	Level	3	RC-KL	CAN	NIQA14R1C !	B-F
Qashqai (J12)	2021 >	Logic	9	RC-KL	CAN	NIQA21CN	A-S
X-Trail	2015 >	Level	3	RC-KL	CAN	NIXT15C !	A-B-F-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001225111



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Combo (Delphi BSI EL3 SW.V.6.05)	2020	Logic	8	RC-KL	CAN	OPCOM20CN	B
Corsa	2020	Logic	7	RC-KL	CAN	OPCOR20CN	A-B-F
Crossland (Delphi BSI EL3 SW.V.7.09)	2021	Logic	10	RC	CAN	OPCREL3SW7.0921CN	A-B-C-T
Grandland (Delphi BSI EI5 SW.V.7.10)	2020	Logic	9	RC-KL	CAN	OPGREI5SW7.1020CN	A-B-C-S-T-V
Movano	2023 I>	Power	11	RC-KL	CAN	OPMOV23CN	F
Vivaro	2015 >	Power	3	RC	CAN	OPVI15C	B-F-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001230119



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
208 (Delphi BSI EL4 SW.V.7.09)	2019	Logic	15	RC-KL	CAN	PE208EL4SW7.0919CN	B-C
208 (Delphi BSI EL4 SW.V.7.09)	2020	Logic	12	RC-KL	CAN	PE208EL4SW7.0920CN	B-C
308 (Delphi BSI EL5 SW.V.6.05)	2019 >	Logic	14	KL	CAN	PE308KL19CN	B-F-S
2008 (Delphi BSI EL3 SW.V.6.05)	2020	Logic	15	RC-KL	CAN	PE2008EL3SW6.0520CN	A-B-T
2008 (Delphi BSI EL3 SW.V.7.09)	2020	Logic	12	RC-KL	CAN	PE2008EL3SW7.09R120CN	A-B
2008 (Delphi BSI EL4 SW.V.7.09)	2020	Logic	12	RC-KL	CAN	PE2008EL4SW7.0920CN	A-B
E2008 (Delphi BSI EL4 SW.V.6.05)	2020	Logic	12	RC-KL	CAN	PEe2008EL4SW6.0520CN	A-B
3008	2019 >	Logic	12	RC	CAN	PE300819CN	B-T
4007	2007 >	Logic	5	RC	CAN	PE400707C!	////////
508	2019 >	Logic	12	KL	CAN	PE508KL19CN	B-S-T
5008 (Delphi BSI E15 SW.V.7.10)	2020	Logic	15	RC-KL	CAN	PE500820CN	A-B-S
Bipper	2008 >	Power	3	RC	CAN	PEBIO8C!	////////



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001230119



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Boxer	2008 >	Logic	4	RC	CAN	PEBO08R1C !	////////
Boxer	2011 >	Power	3	RC	CAN	PEBO11C !	F
Expert (Delphi BSI EL3 SW.V.7.09)	2020	Logic	15	RC-KL	CAN	PEEX20CN	A-B-F
I-ON	2011 >	Logic	11	RC	CAN	PEION11C !	B-E
Partner	2019	Logic	14	RC	CAN	PEPAEL3SW4.05R119CN	B-F
Partner Van	2019	Logic	14	RC	CAN	PEPAEL3SW6.0519CN	B-F
Rifter	2019	Logic	13	RC	CAN	PERI19CN	B
Traveller	2021	Logic	15	RC	CAN	PETREL4SW7.0919CN	B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001231103



1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
BOXER	2023 I>	Logic	2	RC	CAN	PEBX23CN	B-Q-T
308	2022 I>	Logic	1	RC-KL	CAN	PE30822CN	B-Q-T
3008	2025 I>	Logic	5	RC-KL	CAN	PE300825CN	B-C-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001240116



PORSCHE

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
911 (991)	2012 >	Logic	4	RC-KL	CAN	PO91112R1C !	A-B-C-D
911 (991)	2015	Logic	6	RC-KL	CAN	PO91115C !	A-B-C
911.2 (99)	2020 >	Logic	5	RC-KL	CAN	PO911.220CN	A-B-C
911 (992)	2019	Logic	7	RC	CAN	PO91119CN	A-B-C
911 (997)	2005	Power	8	RC	CAN	PO91105C !	A-B-C
Boxster	2009 >	Logic	1	RC	CAN	POBX09C !	A-B-C-F
Carrera S (997)	2007 >	Logic	1	RC	CAN	PO91107C !	B-D
Cayenne	2008 >	Logic	2	RC	CAN	POCAE08C !	A-B-D
Cayenne	2010 >	Logic	3	RC	CAN	POCA10C !	A-B-D-F
Cayenne	2022 I>	Logic	10	RC	CAN	POCA22CN	B-F-J-T
Cayenne	2024 I>	Logic	10	RC - KL	CAN	POCA22CN	B-F-J-T
Macan	2014 >	Logic	3	KL	CAN	POMA14R1C !	A-B-S
Panamera	2009 >	Logic	3	RC	CAN	POPA09C !	A-B-D-F
Panamera	2019	Logic	9	RC - KL	CAN	POPARC19CN	B-F-T
Taycan	2025 I>	Logic	11	RC - KL	CAN	POTA25CN	B-F-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001243105



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
207	2008 >	Logic	1	RC	CAN	PSAPE20708C !	A
208	2014 >	Logic	2	RC	CAN	PSAPE20814C !	A-H
307	2007 >	Logic	1	RC	CAN	PSAPE30707C !	A
308	2008 >	Logic	1	RC	CAN	PSAPE30808C !	A
407	2007 >	Logic	1	RC	CAN	PSAPE40707C !	A
807	2008 >	Logic	1	RC	CAN	PSAPE80707C !	A
2008	2014 >	Logic	2	RC	CAN	PSAPE200814C !	A-H
3008	2009 >	Logic	1	RC	CAN	PSAPE300809C !	A
3008	2012 >	Logic	1	RC	CAN	PSAPE300812C !	A
5008	2010 >	Logic	1	RC	CAN	PSAPE500810C !	A
Berlingo Van	2014 >	Logic	1	RC	CAN	PSACIBEV14C !	A
Berlingo Multispace	2008 >	Logic	1	RC	CAN	PSACIBER08C !	A
C2	2008 >	Logic	1	RC	CAN	PSACIC208C !	A
C3	2008 >	Logic	1	RC	CAN	PSACIC308C !	A



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001243105



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
C3	2010 >	Logic	1	RC	CAN	PSACIC310C !	A
C3 Picasso	2009 >	Logic	1	RC	CAN	PSACIC3P09C !	A
C4	2008 >	Logic	1	RC	CAN	PSACIC408C !	A
C4 Picasso	2008 >	Logic	1	RC	CAN	PSACIC4P08C !	A
C5	2008 >	Logic	1	RC	CAN	PSACIC508C !	A
C8	2008 >	Logic	1	RC	CAN	PSACIC808C !	A
DS3	2010 >	Logic	1	RC	CAN	PSACIDS310C !	A
Expert Van	2014 >	Logic	1	RC	CAN	PSAPEEXV14C !	A
Expert Tepee	2008 >	Logic	1	RC	CAN	PSAPEEXT08C !	A
Expert Van	2017	Logic	5	RC	CAN	PSAPEEXRC17R2C !	A-E-H
Jumpy Van	2014 >	Logic	1	RC	CAN	PSACIJUV14C !	A
Jumpy Atlante	2008 >	Logic	1	RC	CAN	PSACIJUA08C !	A
Partner Van	2014 >	Logic	1	RC	CAN	PSAPEPAV14C !	A
Partner Tepee	2008 >	Logic	1	RC	CAN	PSAPEPAT08C !	A
RCZ	2010 >	Logic	1	RC	CAN	PSAPER CZ10C !	A



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001250133



RENAULT

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Arkana	2021	Logic	12	RC-KL	CAN	REAR21CN	A-C-F-S
Captur	2013 >	Logic	3	RC	CAN	RECA13R2C !	A-F
Captur	2017 >	Logic	3	RC - KL	CAN	RECA17C !	A - B - F
Clio IV	2013 >	Logic	3	RC	CAN	RECL13R2C !	A-F
Espace	2015 >	Logic	6	RC-KL	CAN	REES15R2C !	A-B-F
Espace (head up display)	2015 >	Logic	6	RC-KL	CAN	REESHU15R2C !	A-B-F
Kadjar	2015 >	Logic	6	RC-KL	CAN	REKD15R2C !	B-R
Laguna III	2008 >	Logic	2	RC-KL	CAN	RELA08C !	A-B
Laguna III	2011 >	Logic	2	RC-KL	CAN	RELA11C !	A-B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001250133



RENAULT

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Megane	2009 >	Logic	2	RC-KL	CAN	REME09C !	A-B-E
Megane	2012 >	Logic	2	RC-KL	CAN	REME12C !	A-B-F
Megane	2016 >	Logic	6	RC-KL	CAN	REME16R2C !	A-B-F-S
Scenic	2009 >	Logic	2	RC-KL	CAN	RESC09C !	A-B
Scenic	2016 >	Logic	8	RC-KL	CAN	RESC16C !	A-B-F-S
Scenic X-Mode	2009 >	Logic	2	RC-KL	CAN	RESCX09C !	A-B
Talisman	2016 >	Logic	6	RC-KL	CAN	RETA16R1C !	A-B-F-S
Trafic	2014 >	Power	4	RC	CAN	RETR14C !	B-F-T
Twingo	2014 >	Power	5	RC	CAN	RETW14C !	B-F-T
Zoe	2019 >	Logic	9	KL	CAN	REZOE19CN	B-R



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001251108



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Arkana	2021	Logic	1	RC-KL	CAN	REAR21CN	A-C-F-S
Austral E-Tech (UCH C01)	2022 I>	Logic - Ø	4	RC-KL	CAN	REAUE-TE22CN	C-U
Austral E-Tech (UCH S400)	2023 I>	Logic - Ø	4	RC-KL	CAN	REAU23CN	C-U
Clio V	2019 I>	Logic	1	RC-KL	CAN	RECL19CN	B-C
Captur II	2020 I>	Logic	1	RC-KL	CAN	RECA20CN	B-R
Captur E-tech (UCH C01)	2022 I>	Logic	3	RC-KL	CAN	RECA20C	B-R
Captur II Ph II (UCH S400)	2024 I>	Logic - Ø	4	RC-KL	CAN	RECAIIPhII24C	B-T
Espace E-Tech (UCH S400)	2023 I>	Logic - Ø	4	RC-KL	CAN	REES23C	F-S-U
Express	2021 I>	Power	2	RC	CAN	REEX21CN	B
Kangoo (UCH C01)	2021 I>	Logic	3	RC-KL	CAN	REKA21CN	B - T
Master (2 buttons)	2022 I>	Logic - Ø	5	RC	CAN	REMASTE23V1CN	B-F-X-R
Master (3 buttons)	2022 I>	Logic - Ø	5	RC	CAN	REMASTE23V1CN	B-F-X-R
Master (2 buttons)	2022 I>	Logic	5	RC	CAN	REMASTE23CN	B-F-R
Master (3 buttons)	2022 I>	Logic	5	RC	CAN	REMASTE23CN	B-F-R



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001251108



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Master	2010 I>	Logic - Ø	5	RC	CAN	REMAS10CN	B-F-R
Master (UCH S400)	2025 I>	Logic - Ø	4	RC	CAN	REMAS25CN	B-F-R
Megane	2020 I>	Logic	1	RC-KL	CAN	REME20CN	A-F-S
Megane E-Tech	2022 I>	Logic	4	RC-KL	CAN	REMEE-T22CN	F-U
Rafale	2024 I>	Logic - Ø	4	RC-KL	CAN	RERAF24CN	B-F-T
Trafic	2022 I>	Logic	3	RC-KL	CAN	RETR22CN	B-T



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-CLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Alhambra	2011 >	Logic	1	RC	CAN	SEAL10C !	A-B-C-D
Alhambra (7N)	2015 >	Logic	8	RC	CAN	SEAL15C !	A-B-C
Altea (5P)	2004 >	Logic	1	RC	CAN	SEALT05C !	A-B-D
Ateca (5F)	2016 >	Logic	4	KL	CAN	SEAT16C !	A-B-C-F-S
Ateca (5F)	2016 >	Logic	3	RC	CAN	SEAT16C !	A-B-C-F-S
Ateca (5F)	2020	Logic	3	RC	CAN	SEAT20CN	A-B-C
Ateca (5F)	2020	Logic	4	KL	CAN	SEAT20CN	A-B-C
Cordoba (6L)	2006 >	Power	2	RC	CAN	SECO06C !	/
Exeo (3R)	2009 >	Logic	1	RC	CAN	SEEX09R1C !	A-B-C-D
Ibiza (6J)	2008 >	Logic	1	RC	CAN	SEIB08C !	B-C-D
Ibiza (6L)	2005 >	Power	2	RC	CAN	SEIB05C !	A
Ibiza (6J)	2017 >	Logic	3	RC	CAN	SEIB17C !	A-B-C-F
Leon (1P)	2005 >	Logic	1	RC	CAN	SELE05C !	A-B-D
Leon (1P)	2010 >	Logic	1	RC	CAN	SELE10C !	A-C-D
Leon (5F)	2013 >	Logic	3	RC	CAN	SELE13R1C !	A-C-D
Leon (5F)	2013 >	Logic	4	KL	CAN	SELE13R1C !	A-C-D
Mii	2012 >	Logic	1	RC	CAN	SEMI12C !	A-C
Toledo	2013 >	Logic	1	RC	CAN	SET013C !	A-B-D



482X CAN PRODUCT RANGE APPLICATIONS LIST ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001261100

[illegible]

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-CLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Citigo	2012 >	Logic	1	RC	CAN	SKCI12C !	B-C
Fabia (5J)	2007 >	Logic	1	RC	CAN	SKFA07C !	A-B
Fabia (6Y)	2005 >	Power	2	RC	CAN	SKFA05C !	////////
Fabia (6N)	2015 >	Logic	3	RC	CAN	SKFA15C !	A-B-C
Fabia (6N)	2015 >	Logic	9	KL	CAN	SKFA15C !	A-B-C
Kamiiq (7N)	2020 >	Logic	3	RC	CAN	SKKAM20CN	A-B-C-D-S
Kamiiq (7N)	2020 >	Logic	4	KL	CAN	SKKAM20CN	A-B-C-D-S
Karoq (7N)	2017 >	Logic	3	RC	CAN	SKKA17C !	A-B-C-T
Karoq (7N)	2017 >	Logic	4	KL	CAN	SKKA17C !	A-B-C-T
Kodiaq (7N)	2017	Logic	9	KL	CAN	SKKO17R1C !	A-B-C-F-S
Kodiaq (7N)	2017	Logic	3	RC	CAN	SKKO17R1C !	A-B-C-F-S
Octavia (1U)	2005 >	Logic	1	RC	CAN	SKOC05C !	////////
Octavia (1Z)	2009 >	Logic	1	RC	CAN	SKOC09C !	A-B-D
Octavia (5E)	2013 >	Logic	3	RC	CAN	SKOC13C !	A-C-D
Octavia (5E)	2013 >	Logic	4	KL	CAN	SKOC13C !	A-C-D
Octavia (7N)	2017 >	Logic	9	KL	CAN	SKOC17C !	A-B-D
Octavia (7N)	2017 >	Logic	3	RC	CAN	SKOC17C !	A-B-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030135



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Octavia (7N)	2020	Logic	3	RC	CAN	SKOC20CN	A-B-D
Rapid (6N)	2014 >	Logic	1	RC	CAN	SKRA14C !	
Roomster (5J)	2007 >	Logic	1	RC	CAN	SKRO07C !	A-B
Scala (6N)	2020	Logic	3	RC	CAN	SKSC20CN	A-B-C
Scala (6N)	2020	Logic	4	KL	CAN	SKSC20CN	A-B-C
Superb (3U)	2005 >	Power	2	RC	CAN	SKSU05C !	////////
Superb (3T)	2009 >	Logic	1	RC	CAN	SKSU08C !	A-B-D
Superb (3T)	2009 >	Logic	6	KL	CAN	SKSU08C !	A-B-D
Superb (7N)	2015 >	Logic	3	RC	CAN	SKSU15C !	A-B-C
Superb (7N)	2015 >	Logic	4	KL	CAN	SKSU15C !	A-B-C
Yeti (5L)	2009 >	Logic	1	RC	CAN	SKYE09C !	A-C-F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001271102



1

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Enyaq	2023 I>	Logic	2	RC-KL	CAN	SKENY23CN	A-B-C-G-Q-T-V
Octavia (8N)	2022 I>	Logic	1	RC-KL	CAN	SKOC22CN	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001275101



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Fortwo	2014 l>	Logic	1	RC	CAN	SMFTF14C !	A-B
Fortwo/Four	2016 l>	Logic	1	RC	CAN	SMFTF16C !	A-B
EQ Fortwo	2020 l>	Logic	2	RC	CAN	SMEQFT20CN	F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001280110



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
BRZ	2012 >	Level	4	KL	CAN	SBBRZKL12C !	F
Forester	2009 >	Level	1	RC	CAN	SBFO09R1C !	B-Q
Forester	2012 >	Level	7	KL	CAN	SBFOKL12R2C !	B-F-Q
Forester	2016 >	Level	7	KL	CAN	SBFOKL16C !	A-B-F-S
Impreza	2009 >	Level	1	RC	CAN	SBIM09R2C !	B-Q
Legacy	2009 >	Level	1	RC	CAN	SBLE09R1C !	B-Q
Legacy	2012 >	Power	3	KL	CAN	SBLEKL12C !	B-F
Legacy SW	2012 >	Power	3	KL	CAN	SBLESWKL12C !	B-F
Levorg	2015 l>	Level	10	RC-KL	CAN	SBLV15C !	B-F-S
Outback	2009 >	Level	1	RC	CAN	SBOU09R1C !	B-Q
Outback	2012 >	Power	3	KL	CAN	SBOUKL12C !	B-F
Outback	2015 >	Level	6	KL	CAN	SBOUKL15C !	A-B-F
Outback	2015 >	Level	5	RC	CAN	SBOURC15C	A-B-F
Trezia	2011 >	Power	3	RC-KL	CAN	SBTR11C !	B
XV	2018 >	Level	8	KL	CAN	SBXVKL18CN	B-Q
XV	2021 l>	Level	11	RC-KL	CAN	SBXV21CN	B-Q



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001290108



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Grand Vitara	2013 l>	Power	7	KL	CAN	SUGVKL13C !	B
Ignis	2017 >	Level	8	RC	CAN+PLIP	SUIG17C	B
S-Cross	2014 l>	Level	2	RC	CAN	SUSC14C !	B
Swift	2008 >l	Power	1	KL	CAN	SUSW08C !	/
Swift	2011 l>	Level	2	KL	CAN	SUSW11C !	B
Swift	2017 l>	Power	9	RC	CAN	SUSW17C !	B
Swift	2020 l>	Logic	10	RC-KL	CAN	SUSW20C	B-S
Vitara	2016 l>	Logic	2	RC-KL	CAN	SUVI16C !	B-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001300125



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Auris	2007 >	Level	1	RC	CAN	TOAU07C !	////////
Auris	2013 >	Power	3	RC	CAN	TOAU13C !	A-B-C
Auris	2013 >	Power	3	KL	CAN	TOAU13C !	A-B-F
Auris Hybrid	2013 >	Power	3	RC	CAN	TOAUH13C !	A-B-C
Auris Hybrid	2013 >	Power	3	KL	CAN	TOAUH13C !	A-B-F
Avensis	2009 >	Power	3	RC	CAN	TOAV09CR1 !	A-B-C
Avensis	2013 >	Power	3	RC	CAN	TOAV13C !	A-B-C
Avensis	2013 >	Power	3	KL	CAN	TOAV13C !	A-B-F
BZ4X	2021 I>	Logic	13	RC-KL	CAN	TOBZ4X21CN	B-D-F-S-T-U-Z
Camry	2008 >	Level	2	RC	CAN	Not available	////////
C-HR	2017 >	Level	1	RC-KL	CAN	TOCHR16R1C !	A-B-F
C-HR Hybrid	2024 >	Logic	13	RC-KL	CAN	TOCHR24CN	B-T
Corolla	2014 >	Level	1	RC	CAN	Not available	A-B-C
Corolla	2014 >	Level	1	KL	CAN	Not available	A-B-F
Corolla	2017 >	Level	1	RC-KL	CAN	TOC017C !	A-B-F
Corolla	2019 >	Logic	11	RC-KL	CAN	TOC019CN	B-M-S
Corolla	2021	Logic	9	RC-KL	CAN	TOC019CN	B-M-S
GT86	2012 >	Level	4	KL	CAN	TOGT86KL12C !	A-B-F
IQ	2009 >	Power	3	RC	CAN	TOIQ09C !	A-B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001300125



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Land Cruiser V8	2009 >	Power	3	RC	CAN	Not available	A-B-C
Land Cruiser V8	2009 >	Power	3	KL	CAN	Not available	A-B-F
Land Cruiser 150 5 doors	2014 >	Power	3	RC	CAN	Underwork	A-B-C
Land Cruiser 150 5 doors	2014 >	Power	3	KL	CAN	Underwork	A-B-F
Land Cruiser 3 doors	2014 >	Power	3	RC	CAN	Underwork	A-B-C
Land Cruiser 3 doors	2014 >	Power	3	KL	CAN	Underwork	A-B-F
Land Cruiser 250	2025 l>	Logic	13	RC-KL	CAN	TOLC25CN	B-Z
Prius	2011 >	Power	3	RC	CAN	TOPR11C !	A-B-C
Prius	2011 >	Power	3	KL	CAN	TOPR11C !	A-B-F
Prius Hybrid with A/C button	2014 >	Power	7	KL	CAN	TOPR11C !	A-B-F
Prius Hybrid with A/C button	2014 >	Power	7	KL	CAN	TOPR11C !	A-B-F
Pro Ace	2014 >	Logic	5	RC	CAN	TOPAV14C !	A
Pro Ace Van	2016 >	Logic	8	RC	CAN	TOPA16C !	A
Rav 4	2006 >	Level	1	RC	CAN	TORA406C !	////////
Rav 4	2013 >	Power	3	RC-KL	CAN	TORA13C !	A-B-C-F
Rav 4 Hybrid	2016 >	Power	3	RC-KL	CAN	TORAH16C !	A-B-S
Rav 4	2019 >	Logic	11	RC-KL	CAN	TORAV419CN	A-B-S
Rav 4 Hybrid	2020 l>	Logic	11	RC-KL	CAN	TORAV419CN	A-B-S



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001300125



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Rav 4	2024 I>	Logic	13	RC-KL	CAN	TORAV424CN	B-T
Urban Cruiser	2009 >	Power	3	RC	CAN	TOUC09R1C !	A-B-F
Verso	2009 >	Power	3	RC	CAN	TOVE09R1C !	A-B
Verso S	2010 >	Power	3	RC	CAN	TOVE10C !	A-B
Yaris	2006 >	Level	1	RC	CAN	TOYA06C !	////////
Yaris	2011 >	Power	3	RC	CAN	TOYA11C !	A-B-C
Yaris	2011 >	Power	3	KL	CAN	TOYA11C !	A-B-F
Yaris	2016 >	Power	3	RC	CAN	TOYA16C !	A-B-F
Yaris	2021	Logic	12	RC-KL	CAN	TOYA21CN	A-B-S
Yaris	2023 I>	Logic	13	RC-KL	CAN	TOYA23CN	B-D-F
Yaris Cross	2021 I>	Logic	13	RC-KL	CAN	TOYACR21CN	B-D-S-Z
Yaris Hybrid	2012 >	Power	3	RC	CAN	TOYAH12C !	A-B-C
Yaris Hybrid	2012 >	Power	3	KL	CAN	TOYAH12C !	A-B-F



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001030136

Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Amarok	2011 >	Logic	1	RC	CAN	VWAM11C !	B-D
Amarok	2017 >	Logic	1	RC	CAN	VWAM17C !	B-D
Amarok (2H)	2019 >	Logic	1	RC	CAN	VWAM19CN	A-B-D
Arteon	2017 >	Logic	3	RC	CAN	VWAR17R1C !	A-B-C
Arteon	2017 >	Logic	4	KL	CAN	VWAR17R1C !	A-B-C-F-S
Caddy	2012 >	Logic	1	RC	CAN	VWCA12C !	A-B-C-D
Caddy	2018 >	Logic	1	RC	CAN	VWCA18CN	A-B-C
Caddy (2K)	2004 >	Logic	1	RC	CAN	VWCA05C !	////////
Crafter (Use Sprinter sw)	2008 >	Power	1	RC	CAN	VWCR08C !	A-B-D
Crafter (Use Sprinter sw)	2011 >	Power	4	RC	CAN	VWCR11C !	A-B-F
Crafter (Use Sprinter sw)	2015 >	Power	4	RC	CAN	VWCR15C !	A-B-F
Crafter (SY)	2017 >	Logic	3	RC	CAN	VWCR17R1C !	A-B-C
Eos (1F)	2007 >	Logic	1	RC	CAN	VWEO07C !	A-B-D
Eos (1F)	2007 >	Logic	6	KL	CAN	VWEO07C !	A-B-D
Golf IV (1J)	2003 >	Power	2	RC	CAN	VWGO03C !	////////
Golf V (1K)	2005 >	Logic	1	RC	CAN	VWGO05C !	////////
Golf V (1K)	2007 >	Logic	1	RC	CAN	VWGO07C !	A-B-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001030136



Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Golf VI (1K)	2008 >	Logic	1	RC	CAN	VWGO08C !	A-B-D
Golf VI (1K)	2008 >	Logic	6	KL	CAN	VWGO08C !	A-B-D
Golf VII (AU)	2013 >	Logic	3	RC	CAN	VWGO13R1C !	A-B-D
Golf VII (AU)	2013 >	Logic	4	KL	CAN	VWGO13R1C !	A-B-D
Golf VII (AU)	2017 >	Logic	3	RC	CAN	VWGO17C !	A-B-C
Golf VII (AU)	2017 >	Logic	4	KL	CAN	VWGO17C !	A-B-C
Golf VIII (CD)	2020	Logic	3	RC	CAN	VWGO20CN	A-B-C-S
Golf VIII (CD)	2020	Logic	4	KL	CAN	VWGO20CN	A-B-C-S
Golf VIII eHYBRID	2021 I>	Logic	3	RC	CAN	VWGOeHY21CN	A-B-C
Golf VIII eHYBRID	2021 I>	Logic	4	KL	CAN	VWGOeHY21CN	A-B-C
Golf Plus (1K)	2007 >	Logic	1	RC	CAN	VWGOP07C !	A-B-D
ID3	2021 I>	Logic	4	KL	CAN	VWID321CN	A-B-C-T-U
Jetta (1K)	2005 >	Logic	1	RC	CAN	VWJE05C !	B-C-D
Maggiolino (New Beetle)	2012 >	Logic	1	RC	CAN	VWMA12C !	B-D
New Beetle (1C)	2005 >	Power	2	RC	CAN	VWNBE05C !	B-D
Passat (3B)	2003 >	Power	2	RC	CAN	VWPA03C !	////////
Passat (3C)	2011 >	Logic	1	RC	CAN	VWPA11R1C !	A-B-C-D
Passat (3C)	2005 >	Logic	1	RC	CAN	VWPA05C !	A-B-D
Passat (3C)	2015 >	Logic	4	KL	CAN	VWPA15C !	A-B-C
Passat (3C)	2015 >	Logic	3	RC	CAN	VWPA15C !	A-B-C



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001030136

Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Passat (3C)	2017 >	Logic	9	KL	CAN	VWPA17C !	A-B-C-F-S
Passat (3C)	2017 >	Logic	3	RC	CAN	VWPA17C !	A-B-C-F-S
Passat (3C)	2020	Logic	3	RC	CAN	VWPA20CN	A-B-C
Passat (3C)	2020	Logic	4	KL	CAN	VWPA20CN	A-B-C
Passat CC (3C)	2008 >	Logic	1	RC	CAN	VWPACC08C !	A-B-D
Polo (9N)	2003 >	Logic	1	RC	CAN	VWPO03C !	A-B
Polo (6R)	2010 >	Logic	1	RC	CAN	VWPO10R1C !	C-D
Polo (6R)	2014 >	Logic	3	RC	CAN	VWPO14R1C !	A-B-C-D
Polo (AW)	2019 >I	Logic	3	RC	CAN	VWPO19CN	A,B,C,S
Polo (AW)	2019 >I	Logic	4	KL	CAN	VWPO19CN	A,B,C,S
Polo	2021 I>	Logic	3	RC	CAN	VWPO21CN	A-B-C
Polo	2021 I>	Logic	4	KL	CAN	VWPO21CN	A-B-C
Scirocco (13)	2008 >	Logic	1	RC	CAN	VWSC09C !	A-B-D
Scirocco (13)	2008 >	Logic	6	KL	CAN	VWSC09C !	A-B-D
Sharan	2010 >	Logic	1	RC	CAN	VWSH10C !	A-B-C-D
Sharan	2010 >	Logic	6	KL	CAN	VWSH10C !	A-B-C-D
Sharan (7N)	2015 >	Logic	6	RC	CAN	VWSH15C !	A-B-C
T5 (7H)	2005 >	Power	2	RC	CAN	VWTR05C !	////////
T5 (7H)	2009 >	Power	2	RC	CAN	VWTR09C !	D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001030136

Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
T5 (7H)	2010 >	Power	2	RC	CAN	VWTR10R1C !	B-D
T6 (7H)	2015 >	Logic	1	RC	CAN	VWT615R2C !	A-B-C
T6.1 (7H)	2020 >	Logic	3	RC	CAN	VWT6.120CN	A-B-C-D-T
T6.1 (7H)	2020 >	Logic	4	KL	CAN	VWT6.120CN	A-B-C-D-T
T-Cross (C1)	2019	Logic - d	3	RC	CAN	VWTC19CN	A-B-M-S-T
T-Cross (C1)	2019	Logic - d	4	KL	CAN	VWTC19CN	A-B-M-S-T
Taigo	2022 I>	Logic	3	RC	CAN	VWTA22CN	A-B-C
Tiguan (5N)	2007 >	Logic	1	RC	CAN	VWTI08C !	A-B-D
Tiguan (5N)	2011 >	Logic	1	RC	CAN	VWTI11C !	A-B-C-D
Tiguan (5N)	2011 >	Logic	6	KL	CAN	VWTI11C !	A-B-C-D
Tiguan (5N)	2014 >	Logic	1	RC	CAN	VWTI14C !	A-B-D
Tiguan (5N)	2014 >	Logic	6	KL	CAN	VWTI14C !	A-B-D
Tiguan (5N)	2016 >	Logic	3	RC	CAN	VWTI16C !	A-B-C-F-S
Tiguan (5N)	2016 >	Logic	4	KL	CAN	VWTI16C !	A-B-C-F-S
Tiguan (5N)	2018 >	Logic	3	RC	CAN	VWTI18CN	A-B-C
Touareg (7L)	2008 >	Logic	1	RC	CAN	VWTOG08C !	A-B-C-D
Touareg (7P)	2010 >	Logic	5	RC-KL	CAN	VWTOG10R2C !	A-B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001030136

Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Touareg (CR)	2019 >	Logic	11	RC	CAN	VWTO19CN	A-B-T
Touran (1T)	2015 >	Logic	3	RC	CAN	VWTO15C !	A-B-C
Touran (1T)	2004 >	Logic	1	RC	CAN	VWTO04C !	A-B-D
Touran (1T)	2011 >	Logic	1	RC	CAN	VWTON11R1C !	A-B-C-D
Touran (1T)	2011 >	Logic	6	KL	CAN	VWTON11R1C !	A-B-C-D
T-Roc	2017 >	Logic	3	RC	CAN	VWTOC17C !	A-B-C
T-Roc	2017 >	Logic	4	KL	CAN	VWTOC17C !	A-B-C-F-S
Up! (AA)	2012 >	Logic	1	RC	CAN	VWUP12R1C !	B-D
Up! (AZ)	2017 >	Logic	1	RC	CAN	VWUP17C !	A - B



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001311102



1

Volkswagen

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Caravelle	2024 I>	Logic	7	RC	CAN	VWCV24CN	B-T
Crafter (SY)	2017 I>	Logic	1	RC	CAN	VWCR17R1C !	A-B-C
Crafter (SY)	2020 I>	Logic	1	RC	CAN	VWCR20CN	A-B-C
Caddy	2022 I>	Power	2	RC	CAN	VWCA22CN	A-B-F
Golf VIII (CD)	2020 I>	Logic - ð	6	KL	CAN	VWGO20CN	A-B-C-S
ID 5	2022 I>	Logic	4	RC-KL	CAN	VWID522CN	B-C-S
Transporter (T7)	2024 I>	Logic	7	RC	CAN	VWTR24CN	B-T
Tiguan	2024 I>	Logic	5	RC-KL-WA	CAN	VWTI24CN	B-C-D



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164



CAN software version 4800NG-CAN-0001320121

MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
C30	2007 >	Power	1	RC	CAN	VOC3007C !	B
S40	2004 >	Power	1	RC	CAN	VOS4004C !	B
S60	2008 >	Logic	3	RC	CAN	VOS6008C !	B
S60	2011 >	Logic	4	RC	CAN	VOS6011C !	B-C-D
S60	2020	Logic	9	RC	CAN	VOS6020CN	A-B-F
S80	2006 >	Logic	2	RC	CAN	VOS8006C !	B
S80	2010 >	Logic	5	RC	CAN	VOS8010C !	B-F-E
V40	2012 >	Logic	6	RC	CAN	VOV4012C !	B-F
V50	2004 >	Power	1	RC	CAN	VOV5004C !	B
V50	2010 >	Power	1	RC	CAN	VOV5010C !	B-F
V60	2011 >	Logic	4	RC	CAN	VOV6011C !	B-C-D
V60 T6	2020	Logic	9	RC	CAN	VOV60T620CN	A-F
V70 - XC70	2008 >	Logic	2	RC	CAN	VOXC7008C !	B-D
V70 - XC70	2013 >	Logic	7	RC	CAN	VOXC7013C !	B-F
V70	2015 >	Logic	7	RC	CAN	VOV7015C !	B-C
XC40	2018 >	Logic	9	RC - KL	CAN	VOXC4018CN	A-B-F



482X CAN PRODUCT RANGE APPLICATIONS LIST ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001320121

[illegible]

482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

CAN software version 4800NG-CAN-0001340100



MODEL	MODEL YEAR	BLINKER TYPE	INDEX	ORIGINAL EQUIPMENT	CAN-PLIP	FITTING INSTRUCTIONS	SPECIAL FEATURES
Yoyo	2021	Level	1	RC-KL	CAN	XEYO21CN	B-E



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

LEGENDA

////////	Nessuna funzionalità aggiuntiva	No additional feature	Pas de fonctionnalité additionnelle	Ninguna función adicional
>	Anno dal quale é disponibile	Year from which it is available	Année à partir de laquelle il (le sw) est disponible	Año a partir del cual está disponible
>	Anno dal quale non é più disponibile	Year from which it is no longer available	Année à partir de laquelle il (le sw) n'est disponible	Año a partir del cual ya no está disponible
BLINKER TYPE	Tipo di blinker	Blinker type	Type clignotants	Tipo de intermitentes
CAN / PLIP	Tipo di applicazione	Application type	Type d'application	Tipo de Aplicación
FITTING INSTRUCTIONS	Codice scheda d'installazione	Fitting instruction code	Code notice installation	Esquema de instalación
G	Sensore gas	Gas sensor	Capteur gas	Sensor gas
HF	Iperfrequenza	Hyperfrequency	Hyperfrequence	Hiperfrecuencia
INDEX	Indice CAN o Plip	CAN or Plip index	Index CAN ou Plip	Indice CAN o PLIP
δ	Logic Blinker Feedback rilevato dalla rete CAN BUS	Logic Blinker Feedback detected by CAN BUS network	Logic Blinker Feedback détecter par le réseau CAN BUS	Logic Blinker Feedback detectado por la red CAN BUS



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

LEGENDA

KL	Sistema Keyless	Keyless entry system	Système Keyless	Sistema Llave inteligente
MODEL	Modello dell'auto	Car model	Modèle véhicule	Modelo del Vehículo
MODEL YEAR	Anno del modello	Model year	Année Modèle	Año del Modelo
ORIGINAL EQUIPMENT	Equipaggiamento d'origine	Original equipment	Equipment Origine	Equipamiento de Origen
RC	Radiocomando originale	Original remote control	Radiocommande d'Origine	Radiocomando Original
SPECIAL FEATURES	Funzionalità speciali	Special features	Fonctions Spéciales	Funciones Especiales
!	4822: interruzione blocco avviamento MAX 2 Amp	4822: starter lock interruption MAX 2 Amp	4822: Interruption du blocage du démarrage moteur MAX 2 Amp	4822: Interrupcion del bloqueo de arranque del motor MAX 2 Amp
WA	Walkaway function	Funzione walkaway	Fonction Walkaway	Funcion Walkaway
OA	Antifurto originale	Original Alarm	Alarme d'origine	Alarma original



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

A	Il riconoscimento del transponder all'accensione del quadro strumenti disinserisce il sistema. The system will be disarmed when the ignition is turned on using the correct key and upon transponder recognition. Le système sera désactivé à la mise du contact après reconnaissance du transpondeur d'origine. Al dar el contacto reconoce el transponder y desactivará la alarma.
B	Se le porte si richiudono automaticamente il sistema si reinserisce. When the CDL auto rearms, the system will also arm. A la refermeture automatique des portes , le système se réactive. Si las puertas se cierran automáticamente la alarma se activa.
C	Apriendo il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Richiudendo il baule il sistema si reinserisce. Opening the boot/hatch, using the dedicated button on the original remote control, the system will be deactivated. Upon closing the boot/hatch the system will be rearmed. L'ouverture du coffre à la radiocommande d'origine provoque la désactivation du système. Le système se réarme à la fermeture du coffre. Abriendo el maletero mediante el mando original del vehículo la alarma se desactiva, si cerramos de nuevo el maletero la alarma se activa de nuevo.
D	I sensori ultrasuoni sono disattivati automaticamente se all'inserimento del sistema i cristalli sono aperti. The ultrasonic sensors are automatically deactivated in the event that the windows are left opened. La protection volumétrique est automatiquement éjectée si une vitre reste ouverte. Los sensores de ultrasonidos se desactivan automáticamente si al activar la alarma los cristales están abiertos.
E	Bloccando le chiusure centralizzate con il radiocomando originale quando l'interruttore dell'Hazard è attivato il sistema non si inserisce. Closing the central door lock with the original remote control when the hazard switch is turned on, the system won't be armed. La fermeture du véhicule à la radiocommande d'origine n'active pas l'alarme si les warning sont activés. Realizando el cierre centralizado con el mando original del vehículo y si los intermitentes de emergencia están conectados la alarma no se activará.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

F	Apreno il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Chiudere il baule e premere una volta il pulsante di bloccaggio delle chiusure centralizzate sul radiocomando originale per reinserire il sistema. Opening boot/hatch using the dedicate button on the original remote control the system will be disarm. Close the boot/hatch and press one time the CDL closing button on the original remote control to rearm the system. L'ouverture du coffre à la radiocommande d'origine provoque la désactivation du système. Fermer le coffre et provoquer la fermeture du véhicule avec la radiocommande d'origine pour réactiver le système. Abriendo el maletero mediante el mando original del vehículo la alarma se desactiva, cerrar el maletero y pulsar el mando original para cerrar las puertas y activar la alarma.
G	Apreno il baule dal pulsante dedicato del radiocomando originale i sensori ad ultrasuoni saranno disattivati. Richiudendo il baule i sensori ad ultrasuoni saranno riattivati. Opening the boot/hatch, using the dedicated button on the original remote control, the ultrasonic sensors will be deactivated. Upon closing the boot/hatch the ultrasonic sensors will be rearmed. L'ouverture du coffre à la radiocommande d'origine provoque l'éjection de la protection ultrasons. La fermeture du coffre réactive la protection volumétrique automatiquement. Abriendo el maletero mediante el pulsador del mando original del vehículo los sensores de ultrasonidos serán desactivados.
H	Premendo il tasto di apertura del radiocomando originale durante il lampeggio degli indicatori di direzione nella fase di allarme occorre attendere la fine del ciclo di lampeggio per ottenere il disinserimento del sistema. If you press the opening pushbutton on the original remote control during the flashing of the direction indicators in the alert phase, you have to wait until the end of flashing cycle to get the disarming of the system. Si vous utiliser la radiocommande d'origine pendant une phase d'alarme (clignotement des indicateurs de direction), vous devez attendre la fin du cycle de clignotement pour obtenir la désactivation du système. Pulsando el botón de apertura del radio comando original del vehículo estando destellando los intermitentes de emergencia en fase de alarma, deberemos esperar al ciclo de destellos para poder desactivar la alarma.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

M	Aprire il baule dal pulsante dedicato del radiocomando originale, premendo il pulsante sul baule i sensori ad ultrasuoni saranno disattivati. Richiudere il baule e premere una volta il pulsante di bloccaggio delle chiusure centralizzate sul radiocomando originale per reinserire il sistema. Opening the boot/hatch, using the dedicated button on the original remote control, pressing the pushbutton on the boot the ultrasonic sensors will be deactivated. Close the boot and press one time the CDL closing button on the original remote control to rearm the system. L'ouverture du coffre avec la radiocommande d'origine, l'appuie sur le bouton d'ouverture du coffre ejectera la protection volumétrique. La fermeture du coffre et la pression sur le bouton de fermeture de la radiocommande réactivera le système. Abriendo el maletero mediante el pulsador dedicado del radio comando original los ultrasonidos se desactivan , cerrando de nuevo el maletero y pulsando una vez el pulsador del cierre centralizado sobre el mando original para activar de nuevo la alarma.
N	Se le porte si richiudono automaticamente il sistema si reinserisce (per il corretto funzionamento è obbligatorio collegare i pulsanti porte, vedi scheda tecnica). When the CDL auto rearms, the system will also arm (for the proper functioning it is mandatory to connect the doors switches, see the fitting instructions). A la refermeture automatique des portes , le système se réactive (pour un fonctionnement correct c'est obligatoire de connecter les contacteurs des portes, voir la fiche technique). Si las puertas se cierran automáticamente la alarma se activa (para el correcto funcionamiento es obligatorio conectar el pulsador de la puerta, ver esquema tecnico).
O	Prima di aprire il lunotto posteriore tramite il tx si deve disinserire il sistema utilizzando il tasto di apertura del tx. Before to open the trunk window by tx the alarm system must be deactivated using the tx CDL opening pushbutton. Avant d'ouvrir la lunette arrière avec la radiocommande, il est nécessaire de désactiver le système en utilisant la radiocommande d'origine en ouverture. Antes de abrir el cristal posterior mediante el radio comando será necesario desactivar la alarma mediante el radio comando.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

P	Gli US non sono disattivati automaticamente se il lunotto posteriore, i tettucci apribili anteriori e il tetto posteriore rimangono aperti. If the trunk window, sunroofs or posterior roof are opened the US aren't deactivated automatically. Si une vitre, le toit ouvrant restent ouverts les ultrasons ne seront pas désactivés automatiquement. Los ultrasonidos no se desactivan automáticamente si los cristales, techo electric permanecen abiertos.
Q	Chiudendo le chiusure centralizzate con la chiave il sistema sarà inserito. Closing the central door locking by door keylock the system will be armed. Le verrouillage des portes par la serrure mécanique activera le système. Cerrando mediante la llave la alarma se activará.
R	Aprendo il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Per reinserire il sistema premere il pulsante dedicato del radiocomando (apertura baule) dopo averlo richiuso. Opening the boot/hatch, using the dedicated button on the original remote control, the system will be deactivated. Close the boot/hatch, push one time the dedicated button on the original remote control (trunk release) to reactivate the system. L'ouverture du coffre en utilisant la radiocommande d'origine désactivera le système. A la fermeture, appuyer une fois sur le bouton d'ouverture du coffre de la radiocommande d'origine pour le système. Abriendo el maletero usando el pulsador dedicado del radio comando original la alarma se desactiva, para activarla de nuevo pulsar el botón dedicado del radio comando (apertura de maletero) después de haberlo cerrado.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

S	Solo per versioni keyless. Aprire il baule premendo il pulsante di apertura sul portellone per disinserire il sistema. Chiudere il baule e premere il pulsante di chiusura sul portellone per reinserire il sistema. Only for the keyless version. Open the boot by pressing the opening pushbutton on the hatchback to disarm the system. Close the boot and press the closing button on the hatchback to rearm the system. Seulement pour version clef main libre. Ouvrir le coffre en appuyant sur le bouton du coffre pour désactiver le système. Fermer le coffre et appuyer sur le bouton de fermeture du coffre pour réactiver le système. Solo para la versión de mando de proximidad (llave inteligente). Abrir el maletero presionando el pulsador de apertura del propio maletero para desactivar el sistema. Cerrar el maletero y presionar el pulsador del cierre centralizado para reactivar el sistema.
T	Apreno il baule usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Richiudendo il baule il sistema si reinserisce solo se le chiusure centralizzate non sono state sbloccate. Se fossero state sbloccate, dopo aver chiuso il baule premere il pulsante di chiusura del radiocomando originale per reinserire il sistema. Opening the boot by pressing the dedicated pushbutton on the original remote control the system disarms. Closing the boot the system rearms only if the CDL have not been unlocked. If they have been unlocked after having closed the boot press the closing pushbutton of the original remote control to rearm the system. Ouvrir le coffre en appuyant sur le bouton dédié de la radiocommande pour désactiver le système. La fermeture du coffre réactive le système seulement si les portes n'ont pas été déverrouillées. Si elles ont été déverrouillées après la fermeture du coffre, appuyer sur le bouton de fermeture de la radiocommande pour réactiver le système. Abriendo el maletero usando el pulsador dedicado sobre el radiocomando original el sistema se desactiva. Cerrando el maletero, y si los cierres no han sido desbloqueados el sistema se reactiva. Si el cierre centralizado estuviera desbloqueado (abierto) cuando cerramos el maletero sera necesario presionar sobre el pulsador decierre del radiocomando original para reactivar el sistema.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

U	Solo per versioni keyless. Aprire il baule premendo il pulsante di apertura sul portellone per disinserire il sistema. Chiudere il baule e premere il pulsante di chiusura del radiocomando originale per reinserire il sistema. Only for the keyless version. Open the boot by pressing the opening pushbutton on the hatchback to disarm the system. Close the boot and press the closing pushbutton of the original remote control to rearm the system. Seulement pour version clef main libre. Ouvrir le coffre en appuyant sur le bouton du coffre pour désactiver le système. Fermer le coffre et appuyer sur le bouton de fermeture de la radiocommande pour réactiver le système. Solo para la versión de mando de proximidad (llave inteligente). Abrir el maletero presionando el pulsador de apertura del propio maletero para desactivar el sistema. Cerrar el maletero y presionar el pulsador decierre del radiocomando original para reactivar el sistema.
V	Solo per vetture equipaggiate con sistema di apertura automatica del bagagliaio tramite riconoscimento sensore rilevamento piede. Aprendo il bagagliaio tramite il riconoscimento del sensore rilevamento piede il sistema si disinserisce.Chiudendo il bagagliaio tramite riconoscimento sensore rilevamento piede il sistema si inserisce.. Only for vehicles equipped with automatic boot opening system via foot detection sensor recognition. Opening the boot via foot detection sensor recognition the system disarms.Closing the trunk via foot detection sensor recognition the system arms. Uniquement pour véhicules équipés de système d'ouverture automatique du coffre à bagages par détection du mouvement du pied. L'ouverture du coffre à bagages par le détecteur de mouvement du pied désarme le système. La fermeture du coffre à bagages par le détecteur de mouvement du pied arme le système. Solo para automóviles equipados con un sistema automático de abertura del maletero mediante el reconocimiento del sensor de detección del pie. El sistema se desactiva, abriendo el maletero mediante el reconocimiento del sensor de detección del pie. El sistema se inserta , al cerrar el maletero mediante el reconocimiento del sensor de detección del pie.



482X CAN PRODUCT RANGE APPLICATIONS LIST

ANDROMEDA SOFTWARE RELEASE : FIRMWARE 164

FUNZIONALITA' SPECIALI - SPECIAL FEATURES - FONCTIONS SPÉCIALES – FUNCIONES ESPECIALES

Z	Solo per vetture equipaggiate con sistema di apertura/chiusura delle CDL da mobile APP. Chiudendo le CDL del veicolo tramite mobile APP il sistema di allarme si inserisce. Aprendo le CDL del veicolo tramite mobile APP il sistema di allarme si disinserisce. Only for the cars equipped with the CDL opening / closing system from mobile APP Closing the CDL of the vehicle via the mobile APP, the alarm system is activated. Opening the CDL of the vehicle via the mobile APP, the alarm system is deactivated. Uniquement pour les voitures équipées du système d'ouverture / fermeture CDL à partir de l'APP mobile. En fermant le CDL du véhicule via l'APP mobile, le système d'alarme est activé. En ouvrant le CDL du véhicule via l'APP mobile, le système d'alarme est désactivé. Solo para automóviles equipados con el sistema de apertura / cierre CDL desde APP móvil. Al cerrar la CDL del vehículo a través de la aplicación móvil, se activa el sistema de alarma. Al abrir la CDL del vehículo a través de la aplicación móvil, se desactiva el sistema de alarma.
W	Aprendo il cofano usando il pulsante dedicato del radiocomando originale il sistema si disinserisce. Richiudendo il cofano il sistema si reinserisce. Opening the bonnet, using the dedicated button on the original remote control, the system will be deactivated. Upon closing the bonnet the system will be rearmed. L'ouverture du capot à la radiocommande d'origine provoque la désactivation du système. Le système se réarme à la fermeture du capot. Abriendo el capo' mediante el mando original del vehículo la alarma se desactiva, si cerramos de nuevo el capo' la alarma se activa de nuevo.
X	Logic Blinker Feedback rilevato dalla rete CAN BUS Logic Blinker Feedback detected by CAN BUS network Logic Blinker Feedback détecter par le réseau CAN BUS Logic Blinker Feedback detectado por la red CAN BUS



